

DESCRIPTION	DIMENSIONS					MASS PER EACH	
Mild Steel Plates	2500	x	1200	x	4.5	105.98	
Mild Steel Plates	3000	x	1500	x	4.5	158.96	
Mild Steel Plates	4000	x	1850	x	4.5	261.41	X
Mild Steel Plates	4000	x	2000	x	4.5	282.60	
Mild Steel Plates	2500	x	1200	x	5	117.75	
Mild Steel Plates	3000	x	1500	x	5	176.63	
Mild Steel Plates	4000	x	1800	x	5	282.60	X
Mild Steel Plates	4000	x	2000	x	5	314.00	
Mild Steel Plates	8000	x	2000	x	5	628.00	*
Mild Steel Plates	10000	x	2400	x	5	942.00	*
Mild Steel Plates	2500	x	1200	x	6	141.30	
Mild Steel Plates	3000	x	1500	x	6	211.95	
Mild Steel Plates	4000	x	1800	x	6	339.12	X
Mild Steel Plates	4000	x	2000	x	6	376.80	
Mild Steel Plates	8000	x	2000	x	6	753.60	*
Mild Steel Plates	10000	x	2400	x	6	1130.40	*
Mild Steel Plates	2500	x	1200	x	8	188.40	
Mild Steel Plates	3000	x	1500	x	8	282.60	*
Mild Steel Plates	4000	x	1800	x	8	452.16	X
Mild Steel Plates	4000	x	2000	x	8	502.40	
Mild Steel Plates	8000	x	2000	x	8	1004.80	*
Mild Steel Plates	10000	x	2400	x	8	1507.20	*
Mild Steel Plates	2500	x	1200	x	10	235.50	
Mild Steel Plates	3000	x	1500	x	10	353.25	*
Mild Steel Plates	4000	x	1800	x	10	565.20	X
Mild Steel Plates	4000	x	2000	x	10	628.00	
Mild Steel Plates	8000	x	2000	x	10	1256.00	*
Mild Steel Plates	10000	x	2400	x	10	1884.00	*
Mild Steel Plates	2500	x	1200	x	12	282.60	
Mild Steel Plates	3000	x	1500	x	12	423.90	*
Mild Steel Plates	4000	x	1800	x	12	678.24	X
Mild Steel Plates	4000	x	2000	x	12	753.60	
Mild Steel Plates	8000	x	2000	x	12	1507.20	*
Mild Steel Plates	10000	x	2400	x	12	2260.80	*
Mild Steel Plates	2500	x	1200	x	16	376.80	
Mild Steel Plates	3000	x	1500	x	16	565.20	
Mild Steel Plates	4000	x	2000	x	16	1004.80	
Mild Steel Plates	10000	x	2400	x	16	3014.40	*
Mild Steel Plates	2500	x	1200	x	20	471.00	
Mild Steel Plates	3000	x	1500	x	20	706.50	*
Mild Steel Plates	4000	x	2000	x	20	1256.00	*
Mild Steel Plates	10000	x	2400	x	20	3768.00	*
Mild Steel Plates	2500	x	1200	x	25	588.75	
Mild Steel Plates	3000	x	1500	x	25	883.13	*
Mild Steel Plates	4000	x	2000	x	25	1570.00	*
Mild Steel Plates	8000	x	2000	x	25	3140.00	*
Mild Steel Plates	10000	x	2400	x	25	4710.00	*
151/161 - 430A Boiler Plates	10000	x	2400	x	5	942.00	
151/161 - 430A Boiler Plates	13000	x	2400	x	5	1224.60	*
151/161 - 430A Boiler Plates	10000	x	2400	x	6	1130.40	
151/161 - 430A Boiler Plates	13000	x	2400	x	6	1469.52	*
151/161 - 430A Boiler Plates	12000	x	3000	x	6	1695.60	
151/161 - 430A Boiler Plates	10000	x	2400	x	8	1507.20	
151/161 - 430A Boiler Plates	13000	x	2400	x	8	1959.36	*
151/161 - 430A Boiler Plates	12000	x	3000	x	8	2260.80	
151/161 - 430A Boiler Plates	10000	x	2400	x	10	1884.00	
151/161 - 430A Boiler Plates	13000	x	2400	x	10	2449.20	*
151/161 - 430A Boiler Plates	12000	x	3000	x	10	2826.00	
151/161 - 430A Boiler Plates	10000	x	2400	x	12	2260.80	
151/161 - 430A Boiler Plates	13000	x	2400	x	12	2939.04	*
151/161 - 430A Boiler Plates	12000	x	3000	x	12	3391.20	
151/161 - 430A Boiler Plates	10000	x	2400	x	16	3014.40	
151/161 - 430A Boiler Plates	13000	x	2400	x	16	3918.72	*
151/161 - 430A Boiler Plates	12000	x	3000	x	16	4521.60	
151/161 - 430A Boiler Plates	10000	x	2400	x	20	3768.00	
151/161 - 430A Boiler Plates	13000	x	2400	x	20	4898.40	*
151/161 - 430A Boiler Plates	12000	x	3000	x	20	5652.00	
151/161 - 430A Boiler Plates	10000	x	2400	x	22	4144.80	*
151/161 - 430A Boiler Plates	10000	x	2400	x	25	4710.00	

DESCRIPTION	DIMENSIONS					MASS PER EACH	
151/161 - 430A Boiler Plates	10000	x	2400	x	30	5652.00	
151/161 - 430A Boiler Plates	4000	x	2000	x	32	2009.60	*
151/161 - 430A Boiler Plates	10000	x	2400	x	32	6028.80	*
151/161 - 430A Boiler Plates	6000	x	2400	x	35	3956.40	*
151/161 - 430A Boiler Plates	6000	x	2400	x	38	4295.52	*
151/161 - 430A Boiler Plates	6000	x	2400	x	40	4521.60	
151/161 - 430A Boiler Plates (see note below)	6000	x	2400	x	45	5086.80	@/*
151/161 - 430A Boiler Plates (see note below)	4000	x	2000	x	50	3140.00	@/*
151/161 - 430A Boiler Plates (see note below)	6000	x	2400	x	50	5652.00	@
151/161 - 430A Boiler Plates (see note below)	4000	x	2000	x	60	3768.00	@/*
151/161 - 430A Boiler Plates (see note below)	6000	x	2400	x	60	6782.40	@/*
151/161 - 430A Boiler Plates (see note below)	4000	x	2000	x	65	4082.00	@/*
151/161 - 430A Boiler Plates (see note below)	4000	x	2400	x	65	4898.40	@/*
151/161 - 430A Boiler Plates (see note below)	4000	x	2000	x	70	4396.00	@/*
151/161 - 430A Boiler Plates (see note below)	4000	x	2400	x	70	5275.20	@/*
151/161 - 430A Boiler Plates (see note below)	4000	x	2000	x	75	4710.00	@/*
151/161 - 430A Boiler Plates (see note below)	4000	x	2400	x	75	5652.00	@/*
151/161 - 430A Boiler Plates (see note below)	4000	x	2000	x	80	5024.00	@/*
SS10/200 (Bennox) Hard wearing Plates	2500	x	1200	x	3	72.35	
SS10/200 (Bennox) Hard wearing Plates	2500	x	1200	x	5	117.75	*
SS10/200 (Bennox) Hard wearing Plates	4000	x	2000	x	5	314.00	*
SS10/200 (Bennox) Hard wearing Plates	2500	x	1200	x	6	141.30	
SS10/200 (Bennox) Hard wearing Plates	4000	x	2000	x	6	376.80	*
SS10/200 (Bennox) Hard wearing Plates	2500	x	1200	x	8	188.40	*
SS10/200 (Bennox) Hard wearing Plates	4000	x	2000	x	8	502.40	*
SS10/200 (Bennox) Hard wearing Plates	2500	x	1200	x	10	235.50	
SS10/200 (Bennox) Hard wearing Plates	4000	x	2000	x	10	628.00	
SS10/200 (Bennox) Hard wearing Plates	2500	x	1200	x	12	282.60	
SS10/200 (Bennox) Hard wearing Plates	4000	x	2000	x	12	753.60	
SS10/200 (Bennox) Hard wearing Plates	2500	x	1200	x	16	376.80	
SS10/200 (Bennox) Hard wearing Plates	4000	x	2000	x	16	1004.80	
SS10/200 (Bennox) Hard wearing Plates	2500	x	1200	x	20	471.00	
SS10/200 (Bennox) Hard wearing Plates	4000	x	2000	x	20	1256.00	
SS10/200 (Bennox) Hard wearing Plates	2500	x	1200	x	25	588.75	
SS10/200 (Bennox) Hard wearing Plates	4000	x	2000	x	25	1570.00	
SS10/200 (Bennox) Hard wearing Plates	2500	x	1200	x	32	753.60	*
SS10/200 (Bennox) Hard wearing Plates	4000	x	2000	x	32	2009.60	*
SS10/200 (Bennox) Hard wearing Plates	2500	x	1200	x	35	824.25	*
SS10/200 (Bennox) Hard wearing Plates	2500	x	1200	x	40	942.00	*
SS10/200 (Bennox) Hard wearing Plates	4000	x	2000	x	40	2512.00	
SS10/200 (Bennox) Hard wearing Plates	2500	x	1200	x	45	1059.75	*
SS10/200 (Bennox) Hard wearing Plates	2500	x	1200	x	50	1177.50	*
SS10/200 (Bennox) Hard wearing Plates	4000	x	2000	x	50	3140.00	*
Corrosion Resistant Plate (WR50B1 / Corten)	2500	x	1225	x	1.6	39.39	*
Corrosion Resistant Plate (WR50B1 / Corten)	2500	x	1225	x	2	49.24	*
Corrosion Resistant Plate (WR50B1 / Corten)	2500	x	1200	x	3	72.35	
Corrosion Resistant Plate (WR50B1 / Corten)	2500	x	1200	x	4	96.47	*
Corrosion Resistant Plate (WR50B1 / Corten)	2500	x	1200	x	5	117.75	
Corrosion Resistant Plate (WR50B1 / Corten)	4000	x	1800	x	5	282.60	*
Corrosion Resistant Plate (WR50B1 / Corten)	4000	x	2000	x	5	314.00	
Corrosion Resistant Plate (WR50B1 / Corten)	10000	x	2400	x	5	942.00	*
Corrosion Resistant Plate (WR50B1 / Corten)	2500	x	1200	x	6	141.30	
Corrosion Resistant Plate (WR50B1 / Corten)	4000	x	1800	x	6	339.12	*
Corrosion Resistant Plate (WR50B1 / Corten)	4000	x	2000	x	6	376.80	
Corrosion Resistant Plate (WR50B1 / Corten)	10000	x	2400	x	6	1130.40	*
Corrosion Resistant Plate (WR50B1 / Corten)	2500	x	1200	x	8	188.40	*
Corrosion Resistant Plate (WR50B1 / Corten)	4000	x	2000	x	8	502.40	
Corrosion Resistant Plate (WR50B1 / Corten)	2500	x	1200	x	10	235.50	
Corrosion Resistant Plate (WR50B1 / Corten)	4000	x	2000	x	10	628.00	
Corrosion Resistant Plate (WR50B1 / Corten)	2500	x	1200	x	12	282.60	*
Corrosion Resistant Plate (WR50B1 / Corten)	4000	x	2000	x	12	753.60	*
Corrosion Resistant Plate (WR50B1 / Corten)	2500	x	1200	x	16	376.80	*
Corrosion Resistant Plate (WR50B1 / Corten)	4000	x	2000	x	16	1004.80	*
Corrosion Resistant Plate (WR50B1 / Corten)	2500	x	1200	x	20	471.00	*
Corrosion Resistant Plate (WR50B1 / Corten)	4000	x	2000	x	20	1256.00	*
Mild Steel Vastrap Plates	2500	x	1200	x	3.0-4.6	78.00	
Mild Steel Vastrap Plates	2500	x	1200	x	4.5-6.1	113.34	
Mild Steel Vastrap Plates	4000	x	1200	x	4.5-6.1	181.34	
Mild Steel Vastrap Plates	8000	x	1200	x	4.5-6.1	362.69	

DESCRIPTION	DIMENSIONS					MASS PER EACH	
Mild Steel Vastrap Plates	2500	x	1200	x	6.0-7.6	148.65	
Mild Steel Vastrap Plates	4000	x	1200	x	6.0-7.6	237.84	
Mild Steel Vastrap Plates	8000	x	1200	x	6.0-7.6	475.68	
Mild Steel Vastrap Plates	2500	x	1200	x	8.0-9.6	195.75	
Mild Steel Vastrap Plates	4000	x	1200	x	8.0-9.6	313.20	
Mild Steel Vastrap Plates	8000	x	1200	x	8.0-9.6	626.40	
EN 10025 S 355 JR-AR	2500	x	1200	x	4.5	105.98	X
EN 10025 S 355 JR-AR	3000	x	1500	x	4.5	158.96	*\$
EN 10025 S 355 JR-AR	4000	x	1800	x	4.5	254.34	X
EN 10025 S 355 JR-AR	4000	x	2000	x	4.5	282.60	*\$
EN 10025 S 355 JR-AR	2500	x	1200	x	5	117.75	
EN 10025 S 355 JR-AR	3000	x	1500	x	5	176.63	*\$
EN 10025 S 355 JR-AR	4000	x	1825	x	5	286.53	X
EN 10025 S 355 JR-AR	4000	x	2000	x	5	314.00	*\$
EN 10025 S 355 JR-AR	8000	x	2000	x	5	628.00	*\$
EN 10025 S 355 JR-AR	6000	x	2400	x	5	565.20	*\$
EN 10025 S 355 JR-AR	10000	x	2400	x	5	942.00	
EN 10025 S 355 JR-AR	2500	x	1200	x	6	141.30	
EN 10025 S 355 JR-AR	3000	x	1500	x	6	211.95	
EN 10025 S 355 JR-AR	4000	x	1800	x	6	339.12	X
EN 10025 S 355 JR-AR	5700	x	1800	x	6	483.25	*\$
EN 10025 S 355 JR-AR	7300	x	1800	x	6	618.89	*\$
EN 10025 S 355 JR-AR	9035	x	1800	x	6	765.99	*\$
EN 10025 S 355 JR-AR	4000	x	2000	x	6	376.80	*\$
EN 10025 S 355 JR-AR	6000	x	2000	x	6	565.20	*\$
EN 10025 S 355 JR-AR	8000	x	2000	x	6	753.60	*\$
EN 10025 S 355 JR-AR	2400	x	2400	x	6	271.30	*\$
EN 10025 S 355 JR-AR	6000	x	2400	x	6	678.24	*\$
EN 10025 S 355 JR-AR	10000	x	2400	x	6	1130.40	
EN 10025 S 355 JR-AR	13000	x	2400	x	6	1469.52	*\$
EN 10025 S 355 JR-AR	12000	x	3000	x	6	1695.60	*
EN 10025 S 355 JR-AR	2500	x	1200	x	8	188.40	
EN 10025 S 355 JR-AR	3000	x	1500	x	8	282.60	
EN 10025 S 355 JR-AR	4000	x	1800	x	8	452.16	X
EN 10025 S 355 JR-AR	4000	x	2000	x	8	502.40	*\$
EN 10025 S 355 JR-AR	4500	x	2000	x	8	565.20	*\$
EN 10025 S 355 JR-AR	8000	x	2000	x	8	1004.80	*\$
EN 10025 S 355 JR-AR	4500	x	2400	x	8	678.24	*\$
EN 10025 S 355 JR-AR	6000	x	2400	x	8	904.32	*\$
EN 10025 S 355 JR-AR	10000	x	2400	x	8	1507.20	
EN 10025 S 355 JR-AR	13000	x	2400	x	8	1959.36	*\$
EN 10025 S 355 JR-AR	12000	x	3000	x	8	2260.80	*\$
EN 10025 S 355 JR-AR	2500	x	1200	x	10	235.50	
EN 10025 S 355 JR-AR	3000	x	1500	x	10	353.25	
EN 10025 S 355 JR-AR	4000	x	1800	x	10	565.20	X
EN 10025 S 355 JR-AR	4000	x	2000	x	10	628.00	*\$
EN 10025 S 355 JR-AR	6000	x	2000	x	10	942.00	*\$
EN 10025 S 355 JR-AR	8000	x	2000	x	10	1256.00	*\$
EN 10025 S 355 JR-AR	6000	x	2400	x	10	1130.40	*\$
EN 10025 S 355 JR-AR	10000	x	2400	x	10	1884.00	
EN 10025 S 355 JR-AR	13000	x	2400	x	10	2449.20	*\$
EN 10025 S 355 JR-AR	12000	x	3000	x	10	2826.00	*\$
EN 10025 S 355 JR-AR	2500	x	1200	x	12	282.60	
EN 10025 S 355 JR-AR	3000	x	1500	x	12	423.90	*\$
EN 10025 S 355 JR-AR	4000	x	1800	x	12	678.24	X
EN 10025 S 355 JR-AR	4000	x	2000	x	12	753.60	*\$
EN 10025 S 355 JR-AR	6000	x	2000	x	12	1130.40	*\$
EN 10025 S 355 JR-AR	8000	x	2000	x	12	1507.20	*\$
EN 10025 S 355 JR-AR	10000	x	2400	x	12	2260.80	
EN 10025 S 355 JR-AR	13000	x	2400	x	12	2939.04	*\$
EN 10025 S 355 JR-AR	12000	x	3000	x	12	3391.20	*\$
EN 10025 S 355 JR-AR	2500	x	1200	x	16	376.80	*
EN 10025 S 355 JR-AR	3000	x	1500	x	16	565.20	*\$
EN 10025 S 355 JR-AR	4000	x	2000	x	16	1004.80	*\$
EN 10025 S 355 JR-AR	6000	x	2000	x	16	1507.20	*\$
EN 10025 S 355 JR-AR	8000	x	2000	x	16	2009.60	*\$
EN 10025 S 355 JR-AR	10000	x	2400	x	16	3014.40	
EN 10025 S 355 JR-AR	13000	x	2400	x	16	3918.72	X
EN 10025 S 355 JR-AR	12000	x	3000	x	16	4521.60	X

DESCRIPTION	DIMENSIONS					MASS PER EACH
EN 10025 S 355 JR-AR	2500	x	1200	x	20	471.00 *
EN 10025 S 355 JR-AR	3000	x	1500	x	20	706.50 *\$
EN 10025 S 355 JR-AR	4000	x	2000	x	20	1256.00 *\$
EN 10025 S 355 JR-AR	8000	x	2000	x	20	2512.00 *\$
EN 10025 S 355 JR-AR	10000	x	2400	x	20	3768.00
EN 10025 S 355 JR-AR	13000	x	2400	x	20	4898.40 X
EN 10025 S 355 JR-AR	12000	x	3000	x	20	5652.00 X
EN 10025 S 355 JR-AR	2500	x	1200	x	25	588.75 *
EN 10025 S 355 JR-AR	3000	x	1500	x	25	883.13 *\$
EN 10025 S 355 JR-AR	4000	x	2000	x	25	1570.00 *\$
EN 10025 S 355 JR-AR	8000	x	2000	x	25	3140.00 *\$
EN 10025 S 355 JR-AR	10000	x	2400	x	25	4710.00
EN 10025 S 355 JR-AR	13000	x	2400	x	25	6123.00 X
EN 10025 S 355 JR-AR	12000	x	3000	x	25	7065.00 X
EN 10025 S 355 JR-AR	2500	x	1200	x	30	706.50 *\$
EN 10025 S 355 JR-AR	3000	x	1500	x	30	1059.75 *\$
EN 10025 S 355 JR-AR	4000	x	2000	x	30	1884.00 *\$
EN 10025 S 355 JR-AR	6000	x	2400	x	30	3391.20 *\$
EN 10025 S 355 JR-AR	10000	x	2400	x	30	5652.00
EN 10025 S 355 JR-AR	13000	x	2400	x	30	7347.60 X
EN 10025 S 355 JR-AR	2500	x	1200	x	32	753.60 *\$
EN 10025 S 355 JR-AR	3000	x	1500	x	32	1130.40 *\$
EN 10025 S 355 JR-AR	4000	x	2000	x	32	2009.60 *\$
EN 10025 S 355 JR-AR	10000	x	2400	x	32	6028.80 *\$
EN 10025 S 355 JR-AR	13000	x	2400	x	32	7837.44 *\$
EN 10025 S 355 JR-AR	2500	x	1200	x	35	824.25 *\$
EN 10025 S 355 JR-AR	3000	x	1500	x	35	1236.38 *\$
EN 10025 S 355 JR-AR	4000	x	2000	x	35	2198.00 *\$
EN 10025 S 355 JR-AR	6000	x	2400	x	35	3956.40 *\$
EN 10025 S 355 JR-AR	10000	x	2400	x	35	6594.00
EN 10025 S 355 JR-AR	13000	x	2400	x	35	8572.20 X
EN 10025 S 355 JR-AR	2500	x	1200	x	38	894.90 *\$
EN 10025 S 355 JR-AR	3000	x	1500	x	38	1342.35 *\$
EN 10025 S 355 JR-AR	4000	x	2000	x	38	2386.40 *\$
EN 10025 S 355 JR-AR	6000	x	2400	x	38	4295.52 *\$
EN 10025 S 355 JR-AR	10000	x	2400	x	38	7159.20 *\$
EN 10025 S 355 JR-AR	2500	x	1200	x	40	942.00 *\$
EN 10025 S 355 JR-AR	3000	x	1500	x	40	1413.00 *\$
EN 10025 S 355 JR-AR	4000	x	2000	x	40	2512.00 *\$
EN 10025 S 355 JR-AR	6000	x	2400	x	40	4521.60 *\$
EN 10025 S 355 JR-AR	10000	x	2400	x	40	7536.00
EN 10025 S 355 JR-AR	13000	x	2400	x	40	9796.80 X
EN 10025 S 355 JR-AR	2500	x	1200	x	45	1059.75 *\$
EN 10025 S 355 JR-AR	3000	x	1500	x	45	1589.63 *\$
EN 10025 S 355 JR-AR	4000	x	2000	x	45	2826.00 *\$
EN 10025 S 355 JR-AR	6000	x	2400	x	45	5086.80 *\$
EN 10025 S 355 JR-AR	10000	x	2400	x	45	8478.00 *\$
EN 10025 S 355 JR-AR	2500	x	1200	x	50	1177.50 *\$
EN 10025 S 355 JR-AR	3000	x	1500	x	50	1766.25 *\$
EN 10025 S 355 JR-AR	4000	x	2000	x	50	3140.00 *\$
EN 10025 S 355 JR-AR	6000	x	2400	x	50	5652.00
EN 10025 S 355 JR-AR	10000	x	2400	x	50	9420.00 X
EN 10025 S 355 JR-AR	2500	x	1200	x	60	1413.00 *\$
EN 10025 S 355 JR-AR	3000	x	1500	x	60	2119.50 *\$
EN 10025 S 355 JR-AR	4000	x	2000	x	60	3768.00 *\$
EN 10025 S 355 JR-AR	2500	x	1200	x	65	1530.75 *\$
EN 10025 S 355 JR-AR	4000	x	2000	x	65	4082.00 *\$
EN 10025 S 355 JR-AR	2500	x	1200	x	70	1648.50 *\$
EN 10025 S 355 JR-AR	4000	x	2000	x	70	4396.00 *\$
EN 10025 S 355 JR-AR	2500	x	1200	x	75	1766.25 *\$
EN 10025 S 355 JR-AR	2500	x	1200	x	80	1884.00 *\$
EN 10025 S 355 JR-AR	4000	x	2000	x	80	5024.00 *\$
EN 10025 S 355 JO-AR	10000	x	2400	x	5	942.00 X
EN 10025 S 355 JO-AR	10000	x	2400	x	6	1130.40
EN 10025 S 355 JO-AR	10000	x	2400	x	8	1507.20
EN 10025 S 355 JO-AR	10000	x	2400	x	10	1884.00
EN 10025 S 355 JO-AR	13000	x	2400	x	10	2449.20 \$
EN 10025 S 355 JO-AR	10000	x	2400	x	12	2260.80
EN 10025 S 355 JO-AR	10000	x	2400	x	16	3014.40 X

DESCRIPTION	DIMENSIONS					MASS PER EACH	
EN 10025 S 355 JO-AR	13000	x	2400	x	16	3918.72	\$
EN 10025 S 355 JO-AR	10000	x	2400	x	20	3768.00	X
EN 10025 S 355 JO-AR	13000	x	2400	x	20	4898.40	\$
EN 10025 S 355 JO-AR	12000	x	3000	x	20	5652.00	*
EN 10025 S 355 JO-AR	10000	x	2400	x	25	4710.00	X
EN 10025 S 355 JO-AR	13000	x	2400	x	25	6123.00	\$
EN 10025 S 355 JO-AR	12000	x	3000	x	25	7065.00	*
EN 10025 S 355 JO-AR	10000	x	2400	x	30	5652.00	X
EN 10025 S 355 JO-AR	13000	x	2400	x	30	7347.60	\$
EN 10025 S 355 JO-AR + S2	10000	x	2400	x	35	6594.00	*\$
EN 10025 S 355 JO-AR + S2	10000	x	2400	x	40	7536.00	*\$
EN 10025 S 355 JO-Norm	10000	x	2400	x	16	3014.40	
EN 10025 S 355 JO-Norm	10000	x	2400	x	20	3768.00	
EN 10025 S 355 JO-Norm	10000	x	2400	x	25	4710.00	
EN 10025 S 355 JO-Norm	10000	x	2400	x	30	5652.00	
EN 10025 S 355 JO-Norm	10000	x	2400	x	35	6594.00	
EN 10025 S 355 JO-Norm	10000	x	2400	x	40	7536.00	
EN 10025 S 355 JO-Norm	6000	x	2400	x	45	5086.80	
EN 10025 S 355 JO-Norm	6000	x	2400	x	50	5652.00	
EN 10025 S 355 JO-Norm	6000	x	2400	x	60	6782.40	
EN 10025 S 355 JR-AR + B1	10000	x	2400	x	8	1507.20	*
EN 10025 S 355 JR-AR + B1	10000	x	2400	x	10	1884.00	*
EN 10025 S 355 JR-AR + B1	10000	x	2400	x	12	2260.80	*
EN 10025 S 355 JR-AR + B1	10000	x	2400	x	16	3014.40	
EN 10025 S 355 JR-AR + B1	10000	x	2400	x	20	3768.00	
EN 10025 S 355 JR-AR + B1	13000	x	2400	x	25	6123.00	
EN 10025 S 355 JR-AR + B1	13000	x	2400	x	30	7347.60	
EN 10025 S 355 JR-AR + B1	10000	x	2400	x	35	6594.00	*
EN 10025 S 355 JR-AR + B1	10000	x	2400	x	40	7536.00	*
EN 10025 S 355 JR-AR + B1	4000	x	2000	x	80	5024.00	*
EN 10025 S 355 JR-AR + B1	4000	x	2000	x	90	5652.00	*
EN 10025 S 355 JO-Norm + S2	13000	x	2400	x	25	6123.00	*
EN 10025 S 355 JO-Norm + S2	13000	x	2400	x	30	7347.60	*
EN 10025 S 355 JO-Norm + S2	10000	x	2400	x	40	7536.00	*
Mild Steel HR Sheets	1850	x	925	x	1.6	22.01	
Mild Steel HR Sheets	2450	x	925	x	1.6	29.15	*
Mild Steel HR Sheets	3050	x	925	x	1.6	36.29	*
Mild Steel HR Sheets	1850	x	1225	x	1.6	29.15	*
Mild Steel HR Sheets	2450	x	1225	x	1.6	38.60	
Mild Steel HR Sheets	3050	x	1225	x	1.6	48.06	
Mild Steel HR Sheets	3650	x	1225	x	1.6	57.51	
Mild Steel HR Sheets	1850	x	925	x	2.0	27.51	
Mild Steel HR Sheets	2450	x	925	x	2.0	36.44	*
Mild Steel HR Sheets	3050	x	925	x	2.0	45.36	*
Mild Steel HR Sheets	1850	x	1225	x	2.0	36.44	*
Mild Steel HR Sheets	2450	x	1225	x	2.0	48.25	
Mild Steel HR Sheets	3050	x	1225	x	2.0	60.07	
Mild Steel HR Sheets	3650	x	1225	x	2.0	71.89	
Mild Steel HR Sheets	3000	x	1500	x	2.0	72.35	
Mild Steel HR Sheets	1850	x	925	x	2.5	34.39	*
Mild Steel HR Sheets	2450	x	925	x	2.5	45.55	*
Mild Steel HR Sheets	3050	x	925	x	2.5	56.70	*
Mild Steel HR Sheets	1850	x	1225	x	2.5	45.55	
Mild Steel HR Sheets	2450	x	1225	x	2.5	60.32	
Mild Steel HR Sheets	3050	x	1225	x	2.5	75.09	
Mild Steel HR Sheets	3650	x	1225	x	2.5	89.86	
Mild Steel HR Sheets	2450	x	1500	x	2.5	73.86	
Mild Steel HR Sheets	3000	x	1500	x	2.5	90.44	
Mild Steel HR Sheets	3650	x	1500	x	2.5	110.03	*
Mild Steel HR Sheets	1850	x	925	x	2.8	38.52	*
Mild Steel HR Sheets	2450	x	925	x	2.8	51.01	*
Mild Steel HR Sheets	3050	x	925	x	2.8	63.50	*
Mild Steel HR Sheets	1850	x	1225	x	2.8	51.01	*
Mild Steel HR Sheets	2450	x	1225	x	2.8	67.56	
Mild Steel HR Sheets	3050	x	1225	x	2.8	84.10	*
Mild Steel HR Sheets	3650	x	1225	x	2.8	100.64	*
Mild Steel HR Sheets	2450	x	1500	x	2.8	82.72	#/*
Mild Steel HR Sheets	3000	x	1500	x	2.8	101.29	#/*
Mild Steel HR Sheets	3650	x	1500	x	2.8	123.24	#/*

DESCRIPTION	DIMENSIONS					MASS PER EACH	
Mild Steel HR Sheets	2450	x	1800	x	2.8	99.27	#/*
Mild Steel HR Sheets	3000	x	1800	x	2.8	121.55	#/*
Mild Steel HR Sheets	3650	x	1800	x	2.8	147.89	#/*
Mild Steel HR Sheets	1850	x	925	x	3.0	41.27	
Mild Steel HR Sheets	2450	x	925	x	3.0	54.66	
Mild Steel HR Sheets	3050	x	925	x	3.0	68.04	*
Mild Steel HR Sheets	3650	x	925	x	3.0	81.43	*
Mild Steel HR Sheets	1850	x	1225	x	3.0	54.66	*
Mild Steel HR Sheets	2450	x	1225	x	3.0	72.38	
Mild Steel HR Sheets	3050	x	1225	x	3.0	90.11	
Mild Steel HR Sheets	3650	x	1225	x	3.0	107.83	
Mild Steel HR Sheets	2450	x	1500	x	3.0	88.63	
Mild Steel HR Sheets	3000	x	1500	x	3.0	108.53	
Mild Steel HR Sheets	3650	x	1500	x	3.0	132.04	*
Mild Steel HR Sheets	2450	x	1800	x	3.0	106.36	*
Mild Steel HR Sheets	3000	x	1800	x	3.0	130.23	*
Mild Steel HR Sheets	3650	x	1800	x	3.0	158.45	*
Mild Steel HR Sheets	4000	x	1800	x	3.0	173.64	
Mild Steel HR Sheets	5000	x	1800	x	3.0	217.05	*
Mild Steel HR Sheets	6000	x	1800	x	3.0	260.46	
Mild Steel HR Sheets	2450	x	1225	x	3.5	84.44	
Mild Steel HR Sheets	3000	x	1500	x	3.5	126.61	*
Mild Steel HR Sheets	1850	x	925	x	4.0	55.03	*
Mild Steel HR Sheets	2450	x	1225	x	4.0	96.51	
Mild Steel HR Sheets	3000	x	1500	x	4.0	144.70	
Mild Steel HR Sheets	4000	x	1800	x	4.0	231.52	
Mild Steel HR Sheets (Pickled & Oiled)	2450	x	1225	x	2.0	48.25	
Mild Steel HR Sheets (Pickled & Oiled)	2450	x	1225	x	2.5	60.32	
Mild Steel HR Sheets (Pickled & Oiled)	2450	x	1225	x	2.8	67.56	*
Mild Steel HR Sheets (Pickled & Oiled)	2450	x	1225	x	3.0	72.38	*
Mild Steel HR Sheets (Pickled & Oiled)	2450	x	1225	x	3.5	84.44	*
Mild Steel HR Sheets (Pickled & Oiled)	2450	x	1225	x	4.0	96.51	*
Cold Rolled Sheets	1850	x	925	x	0.5	6.88	*
Cold Rolled Sheets	2450	x	925	x	0.5	9.11	*
Cold Rolled Sheets	1850	x	1225	x	0.5	9.11	*
Cold Rolled Sheets	2450	x	1225	x	0.5	12.06	
Cold Rolled Sheets	1850	x	925	x	0.6	8.25	*
Cold Rolled Sheets	2450	x	925	x	0.6	10.93	*
Cold Rolled Sheets	1850	x	1225	x	0.6	10.93	*
Cold Rolled Sheets	2450	x	1225	x	0.6	14.48	
Cold Rolled Sheets	3050	x	1225	x	0.6	18.02	*
Cold Rolled Sheets	3650	x	1225	x	0.6	21.57	*
Cold Rolled Sheets	1850	x	925	x	0.7	9.63	*
Cold Rolled Sheets	2450	x	1225	x	0.7	16.89	
Cold Rolled Sheets	1850	x	925	x	0.8	11.01	
Cold Rolled Sheets	2450	x	925	x	0.8	14.57	*
Cold Rolled Sheets	1850	x	1225	x	0.8	14.57	*
Cold Rolled Sheets	2450	x	1225	x	0.8	19.30	
Cold Rolled Sheets	3050	x	1225	x	0.8	24.03	*
Cold Rolled Sheets	3650	x	1225	x	0.8	28.76	*
Cold Rolled Sheets	1850	x	925	x	0.9	12.38	*
Cold Rolled Sheets	2450	x	1225	x	0.9	21.71	*
Cold Rolled Sheets	1850	x	925	x	1.0	13.76	
Cold Rolled Sheets	2450	x	925	x	1.0	18.22	*
Cold Rolled Sheets	1850	x	1225	x	1.0	18.22	*
Cold Rolled Sheets	2450	x	1225	x	1.0	24.13	
Cold Rolled Sheets	3050	x	1225	x	1.0	30.04	
Cold Rolled Sheets	3650	x	1225	x	1.0	35.94	*
Cold Rolled Sheets	1850	x	925	x	1.2	16.51	
Cold Rolled Sheets	2450	x	925	x	1.2	21.86	*
Cold Rolled Sheets	1850	x	1225	x	1.2	21.86	*
Cold Rolled Sheets	2450	x	1225	x	1.2	28.95	
Cold Rolled Sheets	3050	x	1225	x	1.2	36.04	
Cold Rolled Sheets	3650	x	1225	x	1.2	43.13	*
Cold Rolled Sheets	1850	x	925	x	1.6	22.01	
Cold Rolled Sheets	2450	x	925	x	1.6	29.15	*
Cold Rolled Sheets	1850	x	1225	x	1.6	29.15	*
Cold Rolled Sheets	2450	x	1225	x	1.6	38.60	
Cold Rolled Sheets	3050	x	1225	x	1.6	48.06	

DESCRIPTION	DIMENSIONS					MASS PER EACH	
Cold Rolled Sheets	3650	x	1225	x	1.6	57.51	*
Cold Rolled Sheets	3000	x	1500	x	1.6	57.88	
Cold Rolled Sheets	1850	x	925	x	2.0	27.51	
Cold Rolled Sheets	2450	x	925	x	2.0	36.44	
Cold Rolled Sheets	1850	x	1225	x	2.0	36.44	
Cold Rolled Sheets	2450	x	1225	x	2.0	48.25	
Cold Rolled Sheets	3050	x	1225	x	2.0	60.07	
Cold Rolled Sheets	3650	x	1225	x	2.0	71.89	*
Cold Rolled Sheets	3000	x	1500	x	2.0	72.35	
Z275 Galvanised Sheets	1850	x	925	x	0.5	6.88	*
Z275 Galvanised Sheets	2450	x	925	x	0.5	9.11	*
Z275 Galvanised Sheets	1850	x	1225	x	0.5	9.11	*
Z275 Galvanised Sheets	2450	x	1225	x	0.5	12.06	
Z275 Galvanised Sheets	1850	x	925	x	0.58	7.98	
Z275 Galvanised Sheets	2450	x	925	x	0.58	10.57	*
Z275 Galvanised Sheets	1850	x	1225	x	0.58	10.57	*
Z275 Galvanised Sheets	2450	x	1225	x	0.58	13.99	
Z275 Galvanised Sheets	1850	x	925	x	0.8	11.01	
Z275 Galvanised Sheets	2450	x	925	x	0.8	14.57	
Z275 Galvanised Sheets	1850	x	1225	x	0.8	14.57	*
Z275 Galvanised Sheets	2450	x	1225	x	0.8	19.30	
Z275 Galvanised Sheets	1850	x	925	x	1.0	13.76	*
Z275 Galvanised Sheets	2450	x	925	x	1.0	18.22	*
Z275 Galvanised Sheets	1850	x	1225	x	1.0	18.22	*
Z275 Galvanised Sheets	2450	x	1225	x	1.0	24.13	
Z275 Galvanised Sheets	1850	x	925	x	1.2	16.51	
Z275 Galvanised Sheets	2450	x	925	x	1.2	21.86	*
Z275 Galvanised Sheets	1850	x	1225	x	1.2	21.86	
Z275 Galvanised Sheets	2450	x	1225	x	1.2	28.95	
Z275 Galvanised Sheets	1850	x	925	x	1.6	22.01	*
Z275 Galvanised Sheets	2450	x	925	x	1.6	29.15	*
Z275 Galvanised Sheets	1850	x	1225	x	1.6	29.15	*
Z275 Galvanised Sheets	2450	x	1225	x	1.6	38.60	
Z275 Galvanised Sheets	1850	x	925	x	1.9	26.14	#
Z275 Galvanised Sheets	2450	x	925	x	1.9	34.61	#
Z275 Galvanised Sheets	1850	x	1225	x	1.9	34.61	*
Z275 Galvanised Sheets	2450	x	1225	x	1.9	45.84	
Z275 Galvanised Sheets	2450	x	1225	x	2.4	57.90	
Z275 Galvanised Sheets	2450	x	1225	x	3.0	72.38	
Galvanised Lock Forming Sheets	2450	x	1225	x	0.58	13.99	
Galvanised Lock Forming Sheets	2450	x	1225	x	0.8	19.30	
Galvanised Lock Forming Sheets	2450	x	1225	x	1.0	24.13	
Galvanised Lock Forming Sheets	2450	x	1225	x	1.2	28.95	*